

# 600-1600 series BRASS FITTINGS, HOSE, IN-LINE F-R-Ls, HOSE CLAMPS, AIR CHUCKS



1626

## HOSE FERRULE CRIMPING TOOL

This tool makes professional quality hose assembly fast and easy. Crimps ferrules on hose ranging from 1/4" Single braid to 3/8" two braid hose. Made of high strength ductile iron casting has 5 hardened steel ribbed dies ready for instant use. Can be bench-mounted or used as a portable tool at the job site.

### 1626 FERRULE CRIMPING TOOL

Additional crimping dies:

**1626-1** 7/16" DIE FOR CRIMPING WELDING HOSE

**1626-2** 13/16" DIE FOR CRIMPING 1/2" ID HOSE x 7/8" OD HOSE

## BRASS HOSE FERRULES

Economical and dependable brass ferrules to make custom hose assemblies. Refer to attached chart to choose ferrules required for custom hose size.



1654

Part No.	Size	Hose OD
<b>1654-2</b>	1" x .525 ID	1/2"
<b>1654-3</b>	1" x .562 ID	9/16"
<b>1654-4</b>	1" x .593 ID	19/32"
<b>1654-5</b>	1" x .625 ID	5/8"
<b>1654-6</b>	1" x .656 ID	21/32"
<b>1654-7</b>	1" x .687 ID	11/16"
<b>1654-8</b>	1" x .718 ID	23/32"
<b>1654-9</b>	1" x .750 ID	3/4"
<b>1654-12</b>	7/8" x .900 ID	7/8"

Note: Because rubber hose tolerances vary up to +/- 1/32" on the ID and OD, it is necessary to fit ferrules and fittings to each individual hose being assembled.

MILTON BRASS FERRULES					
	1654-2	1654-3	1654-4	1654-5	1654-6
FITS HOSE	1/2" O.D.	9/16" O.D.	19/32" O.D.	5/8" O.D.	21/32" O.D.
	1654-7	1654-8	1654-9	1654-12	
	11/16" O.D.	23/32" O.D.	3/4" O.D.	7/8" O.D.	

# 600-1600 series BRASS FITTINGS, HOSE, IN-LINE F-R-Ls, HOSE CLAMPS, AIR CHUCKS



## HOSE CLAMPS

Milton stainless steel hose clamps packed 10 per box.

### STAINLESS STEEL WORM DRIVE HOSE CLAMPS

Part No.	Min ID closed	Max OD opened	Band width
<b>1601</b>	7/16"	1"	1/2"
<b>1601-1</b>	9/16"	1 1/16"	1/2"
<b>1601-2</b>	11/16"	1 1/2"	1/2"
<b>1601-3</b>	3/4"	1 3/4"	1/2"
<b>1601-4</b>	1 5/16"	2 1/4"	1/2"
<b>1601-5</b>	1 13/16"	2 3/4"	1/2"
<b>1601-6</b>	2 1/16"	3"	1/2"
<b>1601-7</b>	2 9/16"	3 1/2"	1/2"
<b>1601-8</b>	3 1/16"	4"	1/2"
<b>1601-9</b>	3 9/16"	4 1/2"	1/2"
<b>1601-10</b>	4 5/8"	5 1/2"	1/2"
<b>1602</b>	7/32"	5/8"	5/16"
<b>1602-1</b>	9/16"	1 1/4"	5/16"



1601



1602

## HOSE CLAMPS

Milton stainless steel hose clamps packed 10 per box.

### STAINLESS STEEL SUPER HEAVY DUTY HOSE CLAMPS

Part No.	Min ID closed	Max OD opened	Band width	Metric range
<b>1603-1</b>	11/16"	3/4"	23/32"	17-19 mm
<b>1603-2</b>	13/16"	7/8"	23/32"	20-22 mm
<b>1603-3</b>	59/64"	1"	23/32"	23-25 mm
<b>1603-4</b>	1 1/32"	1 1/8"	23/32"	26-28 mm
<b>1603-5</b>	1 5/32"	1 15/64"	53/64"	29-31 mm
<b>1603-6</b>	1 9/32"	1 7/16"	53/64"	32-35 mm
<b>1603-7</b>	1 7/16"	1 9/16"	53/64"	36-39 mm
<b>1603-8</b>	1 39/64"	1 23/32"	53/64"	40-43 mm
<b>1603-9</b>	1 3/4"	1 7/8"	53/64"	44-47 mm
<b>1603-10</b>	1 59/64"	2 1/64"	53/64"	48-51 mm
<b>1603-11</b>	2 5/64"	2 7/32"	53/64"	52-55 mm
<b>1603-12</b>	2 15/64"	2 23/64"	53/64"	56-59 mm
<b>1603-13</b>	2 25/64"	2 1/2"	53/64"	60-63 mm
<b>1603-14</b>	2 1/2"	2 43/64"	53/64"	64-67 mm
<b>1603-15</b>	2 23/32"	2 29/32"	53/64"	68-73 mm
<b>1603-16</b>	2 61/64"	3 5/32"	61/64"	74-79 mm



1603

# 600-1600 series BRASS FITTINGS, HOSE, IN-LINE F-R-Ls, HOSE CLAMPS, AIR CHUCKS



**1700**  
**1702-4**  
**1703-6**  
**1704-6**  
**1704-8**



**1705-4**  
**1705-6**



**1740-4**  
**1742-6**



**1706-4**  
**1706-6**  
**1707-6**

## PUSH ON & LOCK ON BRASS HOSE ENDS

Part No.	Hose ID	NPT	Fitting Type
<b>1700</b>	1/4"	1/4"	Male hose end
<b>1702-4</b>	3/8"	1/4"	Male hose end
<b>1703-6</b>	3/8"	3/8"	Male hose end
<b>1704-6</b>	1/2"	3/8"	Male hose end
<b>1704-8</b>	1/2"	1/2"	Male hose end
<b>1705-4</b>	1/4"	1/4"	Female hose end
<b>1705-6</b>	3/8"	3/8"	Female hose end
<b>1706-4</b>	1/4"	1/4"	Full swivel male hose end
<b>1706-6 / S 1706-6</b>	3/8"	1/4"	Full swivel male hose end
<b>1707-6 / S 1707-6</b>	3/8"	3/8"	Full swivel male hose end
<b>1740-4</b>	1/4"	1/4"	Mender
<b>1742-6</b>	3/8"	3/8"	Mender

## PUSH ON & LOCK ON BARB FITTING INSERTION TOOL

For push on and lock hose. The self-adjusting clamp holds the hose properly and firmly, allowing the fitting to be easily pressed in with light pressure. Insertion tool includes 1/4" and 3/8" adapters. Can be bench-mounted or used as a portable tool.

**1627** PUSH ON & LOCK ON BARB FITTING INSERTION TOOL

## TUBING CUTTER

Light weight and easy to use plastic tube cutter. Blade design guarantees clean edge cut without deforming tube. Built in blade guard helps protect user. Blade easily replaced. To cut nylon, polyethylene, polyurethane & PUVEX tubing 1/8" OD through to 3/4" OD tube.

**WARNING: BLADE EXTREMELY SHARP, USE CAUTION. KEEP OUT OF REACH OF CHILDREN.**

**1690** TUBE CUTTER  
**1690-1** TUBE CUTTER REPLACEMENT BLADES (5 per package)

## DELUXE HOSE CUTTER

Heavy duty ABS plastic hose cutter's design guarantees clean and even edge cut without deforming hose. For use with rubber, PVC, Air Hose as well as plastic hose and garden hose 1/8" OD through to 1" OD. Built-in safety handle locks unit in closed position. Blade made of heat-treated steel and is easily replaced.

**WARNING: BLADE EXTREMELY SHARP, USE CAUTION. KEEP OUT OF REACH OF CHILDREN. KEEP FINGERS AWAY FROM HOSE TROUGH. AFTER USE, SECURE UNIT WITH BUILT-IN SAFETY HANDLE LOCK.**

**1691** HOSE CUTTER  
**1691-1** TUBE CUTTER REPLACEMENT BLADE (1 per package)



**1627**



**1690**



**1691**